



MOTORES ESTACIONARIOS MARCA MWM

DADOS TÉCNICOS		D 229-3	D 229-4	4.10 NA	D 229-6	D 229-6 BOMBA DELPHI	4.10 T	TD229-EC-6	4.10 TCA	4.10 TCA Ind. Tier 2	6.10 T	6.10 TCA	
ASPIRACION		Natural	Natural	Natural	Natural	Natural	Turbo	Turbo	Turbo Aftercooler	Turbo Aftercooler	Turbo	Turbo Aftercooler	
NUMERO DE CILINDROS		3	4	4	6	6	4	6	4	4	6	6	
CILINDRADA TOTAL		litros 2.94	3.92	4.3	5.88	5.88	4.3	5.88	4.3	4.3	6.45	6.45	
DIAMETRO X CURSO		mm 102 x 120	102 x 120	103 x 129	102 x 120	102 x 120	103 x 129	102 x 120	103 x 129	103 x 129	103 x 129	103 x 129	
TASA DE COMPRESION		17:01	17:01	16,9	17:01	17:01	16,3	15,1:1	16,3 :1	16,3 :1	16:01	16:01	
POTENCIA CONTÍNUA	1.500 rpm	kW (cv)	27 (37)	36 (49)	-	55 (75)	58 (79)	76 (103)	74 (101)	79 (108)	-	100 (136)	121 (165)
		kVA	28	39	-	61	61	80	83	87	-	114	138
	1.800 rpm	kW (cv)	33 (45)	44 (60)	54 (73)	66 (90)	70 (95)	92 (125)	92 (125)	96 (131)	-	120 (163)	143 (195)
		kVA	35	48	58	73	74	100	103	104	-	138	163
	2.500 rpm	kW (cv)	37 (50)	49 (67)	-	74 (100)	-	-	104 (141)	-	-	120 (163)	143 (195)
		kVA	30 (41)	40 (54)	-	61 (83)	63 (86)	84 (114)	81 (110)	88 (120)	-	110 (150)	132 (180)
POTENCIA BLOQUEADA	1.500 rpm	kW (cv)	30 (41)	40 (54)	-	61 (83)	67,5	87,8	91	97	-	150	150
		kVA	31	43	-	67	67,5	87,8	91	97	-	150	150
	1.800 rpm	kW (cv)	37 (50)	48 (66)	59 (80)	73 (99)	77 (105)	101 (137)	101 (137)	107 (145)	-	132 (180)	158 (215)
		kVA	40	54	65	81	82	110	114	116	-	150	180
	2.500 rpm	kW (cv)	40 (55)	54 (73)	-	81 (110)	-	-	114 (155)	-	-	132 (180)	158 (215)
		kVA	40	54	65	81	82	110	114	116	-	150	180
PESO SECO		kg 347	403	440	520	520	450	545	450	452	570	570	
DIMENSIONES		alt. (mm)	849	880	891	953	953	847	1.170	887	887	896	890
		Ancho. (mm)	754	882	856	1.137	1.137	856	1.152	856	856	1.113	1.113
		larg. (mm)	721	721	735	721	721	750	680	762	762	691	691

